


Pipe Systems with Quick Couplings

Price List EUR

Valid from 1^{st.} of April 2019

Pipe CG (cut groove)



ØD [mm]	t [mm]	L [mm]	PN [bar] above ground	PN [bar] underground	Part no. Hot-dip galvanized	Price Hot-dip galvanized [EUR]	Part no. CorroFlo® •	Price CorroFlo® • [EUR]	Part no. RocShield® **	Price RocShield® ** [EUR]
60,3	1,8	200	80	80	101122801	25,80				
60,3	1,8	600	80	80	101123801	36,80				
60,3	1,8	1000	80	80	101125801	61,20				
60,3	1,8	3000	80	80	101127801	73,40				
60,3	1,8	6000	80	80	101130801	87,20				
76,1	2,0	200	63	63	2720-01	39,30				
76,1	2,0	600	63	63	100073801	56,20				
76,1	2,0	1000	63	63	100075801	67,30				
76,1	2,0	3000	63	63	100077801	86,90				
76,1	2,0	6000	63	63	1149-01	132,30				
88,9	4,3	70	80	80			3871-0X	9,80		
88,9	4,3	100	80	80			3860-0X	9,80		
88,9	2,1	200	80	80	122549801	50,60	12254980X	9,80		
88,9	2,1	600	80	80	122551801	72,20	12255180X	29,40		
88,9	2,1	1000	80	80	122091801	79,70	12209180X	48,90		
88,9	2,1	3000	80	80	122093801	111,20	12209380X	142,80	12209382X	146,90
88,9	2,1	6000	80	80	1151-01	158,50	1151-0X	225,90	1151-2X	225,90
114,3	4,3	70	80	80			3872-0X	11,30		
114,3	4,3	100	80	80			3861-0X	11,30		
114,3	2,7	200	80	80	122433801	60,90	12243380X	11,20		
114,3	2,7	600	80	80	122434801	86,90	12243480X	34,80		
114,3	2,7	1000	80	80	122435801	96,60	12243580X	56,50		
114,3	2,7	3000	80	80	122437801	138,00	12243780X	169,40	12243782X	169,40
114,3	2,0	6000	40	40	100422801	162,30	10042280X	233,90	10042282X	233,90
114,3	2,7	6000	80	80	1135-01	181,40	1135-0X	260,70	1135-2X	260,70

Pipe CG (cut groove), cont.

ØD [mm]	t [mm]	L [mm]	PN [bar] above ground	PN [bar] underground	Part no. Hot-dip galvanized	Price Hot-dip galvanized [EUR]	Part no. CorroFlo® •	Price CorroFlo® • [EUR]	Part no. RocShield® **	Price RocShield® ** [EUR]
139,7	5,5	70	63	80			3873-0X	14,40		
139,7	5,5	100	63	80			3862-0X	14,40		
139,7	3,3	200	80	80	122818801	85,50	12281880X	14,40		
139,7	3,3	600	80	80	122829801	122,10	12282980X	43,20		
139,7	3,3	1000	80	80	122820801	133,20	12282080X	72,00		
139,7	3,3	3000	80	80	122821801	174,80	12282180X	216,10	12282182X	216,00
139,7	2,1	6000	40	40	1136-01	200,30	1136-0X	280,60	1136-2X	280,60
139,7	3,3	6000	80	80	122823801	249,80	12282380X	332,30	12282382X	332,30
168,3	5,2	70	63	80			3874-0X	17,00		
168,3	5,2	100	63	80			3863-0X	17,00		
168,3	2,8	200	63	80	122451801	92,20	12245180X	17,00		
168,3	2,8	600	63	80	122446801	131,70	12244680X	51,10		
168,3	2,8	1000	63	80	122762801	143,00	12276280X	85,20		
168,3	2,8	3000	63	80	122763801	225,00	12276380X	255,20	12276382X	255,20
168,3	2,1	6000	40	40	1137-01	235,80	1137-0X	317,20	1137-2X	317,20
168,3	2,8	6000	63	80	1138-01	314,40	1138-0X	392,70	1138-2X	392,70
219,1	6,1	70	63	80			3933-0X	24,00		
219,1	6,1	100	63	80			3865-0X	24,00		
219,1	3,6	200	63	80	122401801	144,70	12240180X	23,90		
219,1	3,6	600	63	80	122920801	206,70	12292080X	71,80		
219,1	3,6	1000	63	80	122403801	223,40	12240380X	119,50		
219,1	3,6	3000	63	80	122404801	351,20	12240480X	358,30	12240482X	358,30
219,1	3,0	6000	25	40	100885801	398,60	10088580X	482,60	10088582X	482,60
219,1	3,6	6000	63	80	122407801	468,00	12240780X	551,40	12240782X	551,40
273,0	7,0	70	63	80			3934-0X	31,80		
273,0	7,0	100	63	80			3866-0X	31,80		
273,0	3,6	200	40	63	1607-01	148,50	1607-0X	31,70		
273,0	4,4	200	63	80	122339801	167,90	12233980X	31,70		
273,0	3,6	600	40	63	122340801	212,20	12234080X	95,30		
273,0	4,4	600	63	80	122343801	239,80	12234380X	110,10		
273,0	3,6	1000	40	63	122325801	302,60	12232580X	158,70		
273,0	4,4	1000	63	80	122345801	323,20	12234580X	183,50		
273,0	3,6	3000	40	63	122327801	369,20	12232780X	476,20	12232782X	476,20


Pipe CG (cut groove), cont.

ØD [mm]	t [mm]	L [mm]	PN [bar] above ground	PN [bar] underground	Part no. Hot-dip galvanized	Price Hot-dip galvanized [EUR]	Part no. CorroFlo® •	Price CorroFlo® • [EUR]	Part no. RocShield® ••	Price RocShield® •• [EUR]
273,0	4,4	3000	63	80	122346801	429,60	12234680X	550,60	12234682X	550,60
273,0	3,0	6000	25	35	1139-01	569,90	1139-0X	629,30	1139-2X	629,30
273,0	3,6	6000	40	63	1140-01	636,50	1140-0X	732,60	1140-2X	732,60
273,0	4,4	6000	63	80	1141-01	745,60	1141-0X	847,10	1141-2X	847,10
323,9	8,2	70	63	80			3935-0X	42,70		
323,9	8,2	100	63	80			3932-0X	42,70		
323,9	3,0	200	25	30	100758801	189,90	10075880X	34,20		
323,9	4,4	200	40	63	122857801	189,90	12285780X	42,60		
323,9	5,7	200	63	80	2731-01	189,90	2731-0X	49,60		
323,9	3,0	600	25	30	100767801	271,40	10076780X	102,50		
323,9	4,4	600	40	63	122862801	271,40	12286280X	127,80		
323,9	5,7	600	63	80	122960801	271,40	12296080X	148,70		
323,9	3,0	1000	25	30	100773801	384,90	10077380X	170,90		
323,9	4,4	1000	40	63	122861801	384,90	12286180X	213,10		
323,9	5,7	1000	63	80	2732-01	384,90	2732-0X	247,90		
323,9	3,0	3000	25	30	100765801	482,90	10076580X	512,60	10076582X	512,60
323,9	4,4	3000	40	63	122863801	607,60	12286380X	639,20	12286382X	639,20
323,9	5,7	3000	63	80	122316801	689,40	12231680X	743,70	12231682X	743,70
323,9	3,0	6000	25	30	1142-01	708,90	1142-0X	788,80	1142-2X	788,80
323,9	4,4	6000	40	63	1143-01	872,50	1143-0X	983,30	1143-2X	983,30
323,9	5,7	6000	63	80	1144-01	1 022,70	1144-0X	1 144,00	1144-2X	1 144,00

For larger sizes, see the section Alvenius AGS.

- X=5 Black CorroFlo®, X=6 White CorroFlo®, X=7 Red CorroFlo®, X=9 Blue CorroFlo®
- X=5 Black RocShield®, X=6 White RocShield®, X=7 Red RocShield®, X=9 Blue RocShield®

Pipe RG (rolled groove)



ØD [mm]	t [mm]	L [mm]	PN [bar] above ground		Part no. Hot-dip galvanized	Price Hot-dip galvanized [EUR]
76,1	2,0	6000	63		100080901	132,30
88,9	2,0	6000	40		100090901	158,50
114,3	2,0	6000	25		100422901	162,30
139,7	2,5	6000	40		100823901	200,30
168,3	2,5	6000	25		100444901	235,80
219,1	3,6	6000	63		122878901	398,60
273,0	3,6	6000	25		122771901	569,90
323,9	4,4	6000	25		122864901	708,90

Coupling Flexibel, model St 75




ØD [mm]	PN [bar] above ground	PN [bar] underground			Part no. Painted	Price Painted [EUR]	Part no. Hot-dip galvanized	Price Hot-dip galvanized [EUR]	Part no. CorroFlo® •	Price CorroFlo® • [EUR]
60,3	25	25			120930800	22,50	120930801	31,50		
76,1	25	25			120931800	17,20	120931801	24,20		
88,9	25	25			120932800	19,00	120932801	26,60	12093280X	38,00
114,3	25	25			120933800	22,10	120933801	35,40	12093380X	55,40
139,7	25	25			120937800	24,60	120937801	39,40	12093780X	61,50
168,3	25	25			120935800	32,90	120935801	52,60	12093580X	82,20
219,1	25	25			120936800	49,00	120936801	78,60	12093680X	122,80

For larger sizes, see the section Alvenius AGS.

- X=5 Black CorroFlo®, X=6 White CorroFlo®, X=7 Red CorroFlo®, X=9 Blue CorroFlo®

Coupling Flexibel, model St 77




ØD [mm]	PN [bar] above ground	PN [bar] underground			Part no. Painted	Price Painted [EUR]	Part no. Hot-dip galvanized	Price Hot-dip galvanized [EUR]	Part no. CorroFlo® •	Price CorroFlo® • [EUR]
60,3	63	80			4013-10	18,80	4013-01	37,70		
76,1	63	80			120808800	35,30	120808801	70,70		
88,9	63	80			120809800	20,80	120809801	41,60	12080980X	52,00
114,3	63	80			120943800	28,20	120943801	56,20	12094380X	70,30
139,7	63	80			120813800	40,80	120813801	84,90	12081380X	102,10
168,3	63	80			120811800	45,40	120811801	90,80	12081180X	113,40
219,1	40	80			120804800	74,70	120804801	149,20	12080480X	186,60
273,0	40	80			120825800	125,60	120825801	251,10	12082580X	313,80
323,9	40	80			120826800	173,50	120826801	260,10	12082680X	390,20

For larger sizes, see the section Alvenius AGS.

- X=5 Black CorroFlo®, X=6 White CorroFlo®, X=7 Red CorroFlo®, X=9 Blue CorroFlo®

Coupling Rigid, model St 07



ØD [mm]	PN [bar] above ground	PN [bar] underground			Part no. Painted	Price Painted [EUR]	Part no. Hot-dip galvanized	Price Hot-dip galvanized [EUR]	Part no. CorroFlo® •	Price CorroFlo® • [EUR]
60,3	40	40			120910800	15,60	120910801	31,10		
76,1	40	40			120911800	18,00	120911801	35,90		
88,9	40	40			120912800	20,80	120912801	41,10	12091280X	52,00
114,3	40	40			120913800	28,20	120913801	56,30	12091380X	70,30
139,7	40	40			120914800	40,80	120914801	81,60	12091480X	102,10
168,3	40	40			120915800	45,40	120915801	88,70	12091580X	113,40
219,1	40	40			120949800	74,70	120949801	149,20	12094980X	186,60
273,0	25	25			120916800	125,60	120916801	158,90	12091680X	313,80
323,9	25	25			120917810	168,30	120917801	229,50	12091780X	378,70

For larger sizes, see the section Alvenius AGS.


- X=5 Black CorroFlo®, X=6 White CorroFlo®, X=7 Red CorroFlo®, X=9 Blue CorroFlo®

Rubber gasket



ØD [mm]					Part no.	Price [EUR]
60,3					120803801	13,50
76,1					120797801	17,10
88,9					120449801	17,10
114,3					120805801	21,30
139,7					120798801	28,00
168,3					120806801	31,00
219,1					120807801	39,30
273,0					120799801	46,00
323,9					120800801	55,00

Tee CG (cut groove)




ØD [mm]	Ød [mm]	PN [bar] above ground	PN [bar] underground		Part no. Hot-dip galvanized	Price Hot-dip galvanized [EUR]	Part no. CorroFlo® •	Price CorroFlo® • [EUR]
60,3	60,3	63	80		122700801	28,20		
76,1	76,1	63	80		122701801	39,60		
88,9	88,9	63	80		122100801	52,00	12210080X	78,00
114,3	60,3	63	80		122737801	71,20	12273780X	106,60
114,3	76,1	63	80		122739801	136,20	12273980X	204,10
114,3	88,9	63	80		2581-01	71,20	2581-0X	106,60
114,3	114,3	63	80		122105801	71,20	12210580X	106,60
139,7	139,7	63	80		122109801	157,50	12210980X	236,20
168,3	60,3	63	80		122736801	178,90	12273680X	268,30
168,3	76,1	63	80		122720801	178,90	12272080X	268,30
168,3	88,9	63	80		122738801	178,90	12273880X	268,30
168,3	114,3	63	80		122116801	178,90	12211680X	268,30
168,3	168,3	63	80		122115801	178,90	12211580X	268,30
219,1	88,9	40	80		3636-01	366,70	3636-0X	550,00
219,1	114,3	40	80		2582-01	366,70	2582-0X	550,00
219,1	168,3	40	80		122731801	366,70	12273180X	550,00
219,1	219,1	40	80		122120801	366,70	12212080X	550,00
273,0	273,0	40	80		122735801	558,10	12273580X	734,40
323,9	273,0	40	80		122906801	943,30	12290680X	1 240,80
323,9	323,9	40	80		122905801	943,30	12290580X	1 240,80

For larger sizes, see the section Alvenius AGS.

- X=5 Black CorroFlo®, X=6 White CorroFlo®, X=7 Red CorroFlo®, X=9 Blue CorroFlo®

Elbow CG (cut groove)



ØD [mm]	V°	PN [bar] above ground	PN [bar] underground		Part no. Hot-dip galvanized	Price Hot-dip galvanized [EUR]	Part no. CorroFlo® •	Price CorroFlo® • [EUR]
60,3	7,50	80	80		3771-01	45,80		
60,3	11,25	63	80		122466801	34,00		
60,3	22,50	63	80		122467801	34,00		
60,3	45,00	63	80		122468801	34,00		
60,3	90,00	63	80		122469801	34,00		
76,1	7,50	16	16		110487801	59,60		
76,1	11,25	40	80		1132-01	42,50		
76,1	22,50	40	80		1133-01	42,50		
76,1	45,00	63	80		122490801	45,40		
76,1	90,00	63	80		122492801	45,40		
88,9	7,50	80	80		122508801	56,10	12250880X	72,50
88,9	11,25	63	80		122507801	56,10	12250780X	72,50
88,9	22,50	63	80		122510801	56,10	12251080X	72,50
88,9	45,00	63	80		122511801	56,10	12251180X	72,50
88,9	90,00	63	80		122513801	56,10	12251380X	96,80
114,3	7,50	80	80		122543801	71,20	12254380X	93,30
114,3	11,25	63	80		122542801	69,40	12254280X	90,50
114,3	22,50	63	80		122545801	69,40	12254580X	90,50
114,3	45,00	63	80		122546801	69,40	12254680X	90,50
114,3	90,00	63	80		122548801	69,40	12254880X	90,50
139,7	7,50	80	80		122600801	93,70	12260080X	120,80
139,7	11,25	63	80		3792-01	95,60	3792-0X	123,20
139,7	22,50	63	80		3793-01	114,30	3793-0X	141,90
139,7	45,00	63	80		122603801	106,10	12260380X	136,70
139,7	90,00	63	80		122604801	123,60	12260480X	159,00
168,3	7,50	80	80		122376801	103,80	12237680X	134,30
168,3	11,25	63	80		122380801	103,30	12238080X	132,90
168,3	22,50	63	80		122378801	115,20	12237880X	148,40
168,3	45,00	63	80		122379801	46,80	12237980X	134,60
168,3	90,00	63	80		122381801	152,90	12238180X	197,10


Elbow CG (cut groove), cont.

ØD [mm]	V°	PN [bar] above ground	PN [bar] underground		Part no. Hot-dip galvanized	Price Hot-dip galvanized [EUR]	Part no. CorroFlo® •	Price CorroFlo® • [EUR]
219,1	7,50	80	80		122641801	165,70	12264180X	216,90
219,1	11,25	40	80		122645801	169,50	12264580X	218,80
219,1	22,50	40	80		122643801	215,70	12264380X	277,70
219,1	45,00	40	80		122644801	172,00	12264480X	221,80
219,1	90,00	40	80		122646801	237,50	12264680X	305,80
273,0	7,50	63	63		122669801	311,30	12266980X	401,10
273,0	11,25	40	80		2601-01	327,80	2601-0X	401,10
273,0	22,50	40	80		2910-01	350,80	2910-0X	602,80
273,0	45,00	40	80		1082-01	387,30	1082-0X	529,60
273,0	90,00	40	80		1078-01	475,10	1078-0X	612,60
323,9	7,50	63	63		122697801	467,70	12269780X	602,80
323,9	15,00	63	63		122698801	492,60	12269880X	635,00
323,9	30,00	63	63		122699801	620,50	12269980X	799,60
323,9	45,00	40	80		122703801	585,70	12270380X	760,70
323,9	90,00	40	80		122702801	633,10	12270280X	815,80

For larger sizes, see the section Alvenius AGS.

- X=5 Black CorroFlo®, X=6 White CorroFlo®, X=7 Red CorroFlo®, X=9 Blue CorroFlo®

Reducer/Cone CG (cut groove)




ØD [mm]	Ød [mm]	PN [bar] above ground	PN [bar] underground		Part no. Hot-dip galvanized	Price Hot-dip galvanized [EUR]	Part no. CorroFlo® •	Price CorroFlo® • [EUR]
76,1	60,3	63	80		1088-01	41,90		
88,9	60,3	63	80		122042801	46,50		
88,9	76,1	63	80		122043801	46,50		
114,3	60,3	63	80		122044801	49,70		
114,3	76,1	63	80		122047801	49,70		
114,3	88,9	63	80		122870801	49,70	12287080X	64,60
139,7	88,9	63	80		122897801	98,30	12289780X	127,80
139,7	114,3	63	80		122048801	98,30	12204880X	127,80
168,3	60,3	63	80		122858801	99,80	12285880X	129,80
168,3	88,9	63	80		122859801	99,80	12285980X	129,80
168,3	114,3	63	80		122876801	99,80	12287680X	129,80
168,3	139,7	63	80		122875801	99,80	12287580X	129,80
219,1	114,3	40	80		122890801	213,40	12289080X	277,50
219,1	139,7	40	80		122054801	213,50	12205480X	277,40
219,1	168,3	40	80		122877801	213,40	12287780X	277,50
273,0	114,3	40	80		111903801	371,30	11190380X	482,70
273,0	168,3	40	80		111881801	371,30	11188180X	482,70
273,0	219,1	40	80		122882801	371,30	12288280X	482,70
323,9	168,3	40	80		122209801	437,50	12220980X	568,80
323,9	219,1	40	80		122208801	437,50	12220880X	568,80
323,9	273,0	40	80		122207801	437,50	12220780X	568,80

For larger sizes, see the section Alvenius AGS.

- X=5 Black CorroFlo®, X=6 White CorroFlo®, X=7 Red CorroFlo®, X=9 Blue CorroFlo®


Adapter with thread CG (cut groove)



ØD [mm]	Ød [mm]	PN [bar] above ground	PN [bar] underground		Part no. Hot-dip galvanized	Price Hot-dip galvanized [EUR]
60,3	R1"	63	63		1248-01	45,30
60,3	R2"	40	40		110217801	71,30
88,9	R2"	40	40		1127-01	94,10
114,3	R2"	80	80		122238801	110,70
139,7	R2"	63	63		110228801	118,20
168,3	R2"	80	80		122240801	155,40
219,1	R2"	40	40		110241801	231,80

- X=5 Black CorroFlo[®], X=6 White CorroFlo[®], X=7 Red CorroFlo[®], X=9 Blue CorroFlo[®]


Adapter CG - K10 (cut groove)



ØD [mm]	Ød [mm]	PN [bar] above ground	PN [bar] underground		Part no. Hot-dip galvanized	Price Hot-dip galvanized [EUR]	Part no. CorroFlo [®] •	Price CorroFlo [®] • [EUR]
60,3	60,3	40	40		111896801	72,60		
76,1	76,1	40	40		4439-01	72,60		
101,6	114,3	40	40		112046801	72,60	11204680X	103,80
152,4	139,7	40	40		111873801	102,70		
152,4	168,3	40	40		111874801	102,70	11187480X	146,90
203,2	219,1	40	40		111879801	257,80		

- X=5 Black CorroFlo[®], X=6 White CorroFlo[®], X=7 Red CorroFlo[®], X=9 Blue CorroFlo[®]


Hydrant outlet CG (cut groove)



ØD [mm]	Ød [mm]	PN [bar] above ground	PN [bar] underground		Part no. Hot-dip galvanized	Price Hot-dip galvanized [EUR]	Part no. CorroFlo® •	Price CorroFlo® • [EUR]
88,9	R2"	80	80		2930-01	157,60	2930-0X	197,10
114,3	R2"	80	80		2931-01	167,60	2931-0X	209,50
139,7	R2"	80	80		2932-01	237,60	2932-0X	297,20
168,3	R2"	80	80		2933-01	269,30	2933-0X	336,80
219,1	R2"	80	80		2934-01	356,20	2934-0X	445,50
273,0	R2"	80	80		2935-01	563,40	2935-0X	704,50
323,9	R2"	80	80		122497801	842,60	12249780X	1 053,50

- X=5 Black CorroFlo®, X=6 White CorroFlo®, X=7 Red CorroFlo®, X=9 Blue CorroFlo®

Flanged adapter CG (cut groove)




ØD [mm]	DN	DIN	PN [bar] above ground	PN [bar] underground	Part no. Hot-dip galvanized	Price Hot-dip galvanized [EUR]	Part no. CorroFlo® •	Price CorroFlo® • [EUR]
60,3	50	2633	16	16	111773801	82,80		
60,3	50	2635	40	40	111771801	95,30		
76,1	65	2633	16	16	3352-01	94,20		
76,1	65	2635	40	40	111774801	106,30		
88,9	80	2633	16	16	111775801	108,00	11177580X	136,70
88,9	80	2635	40	40	111777801	112,10	11177780X	140,70
88,9	80	2636	63	63	111776801	188,60	11177680X	245,40
114,3	100	2633	16	16	2301-01	121,30	2301-0X	156,40
114,3	100	2635	40	40	111782801	125,40	11178280X	160,30
114,3	100	2636	63	63	111783801	188,60	11178380X	245,40
139,7	125	2633	16	16	3088-01	142,20	3088-0X	190,30
139,7	125	2635	40	40	111787801	144,50	11178780X	195,30
139,7	125	2636	63	63	111788801	272,70	11178880X	367,50
168,3	150	2633	16	16	1596-01	164,40	1596-0X	221,80
168,3	150	2635	40	40	111765801	164,40	11176580X	221,80
168,3	150	2636	63	63	111766801	306,30	11176680X	414,30
219,1	200	2632	10	10	111792811	241,10	11179281X	311,50
219,1	200	2633	16	16	111791801	241,10	11179180X	311,50
219,1	200	2634	25	25	111792821	280,60	11179282X	350,80
219,1	200	2635	40	40	111792801	280,60	11179280X	350,80
219,1	200	2636	63	63	111793801	426,60	11179380X	576,30
273,0	250	2632	10	10	3089-01	226,20	3089-0X	323,10
273,0	250	2633	16	16	111797801	226,20	11179780X	323,10
273,0	250	2634	25	25	111796801	332,60	11179680X	475,10
273,0	250	2635	40	40	3091-01	332,60	3091-0X	475,10
273,0	250	2636	63	63	111798801	412,10	11179880X	588,70
323,9	300	2632	10	10	1608-01	415,00	1608-0X	516,20
323,9	300	2633	16	16	3090-01	415,00	3090-0X	516,20
323,9	300	2634	25	25	3074-01	596,90	3074-0X	852,60
323,9	300	2635	40	40	111804801	596,90	11180480X	852,60
323,9	300	2636	63	63	111805801	700,70	11180580X	1 001,00

For larger sizes, see the section Alvenius AGS.

- X=5 Black CorroFlo®, X=6 White CorroFlo®, X=7 Red CorroFlo®, X=9 Blue CorroFlo®

End Cap CG (cut groove)



ØD [mm]	PN [bar] above ground	PN [bar] underground			Part no. Hot-dip galvanized	Price Hot-dip galvanized [EUR]	Part no. CorroFlo® •	Price CorroFlo® • [EUR]
60,3	63	80			122351801	68,50		
76,1	63	80			122353801	71,80		
88,9	63	80			122354801	60,20	12235480X	86,00
114,3	63	80			122355801	62,70	12235580X	109,70
139,7	63	80			122385801	95,60	12238580X	114,90
168,3	63	80			122383801	103,60	12238380X	132,40
219,1	40	80			122384801	132,90	12238480X	142,10
273,0	40	80			122369801	147,20	12236980X	217,90
323,9	40	80			122370801	330,20	12237080X	630,90

For larger sizes, see the section Alvenius AGS.

- X=5 Black CorroFlo®, X=6 White CorroFlo®, X=7 Red CorroFlo®, X=9 Blue CorroFlo®


Welding ring CG (cut groove)



ØD [mm]	PN [bar] above ground	PN [bar] underground			Part no. Untreated	Price [EUR]
60,3	63	63			120983810	9,10
76,1	63	80			120280810	9,10
88,9	80	80			122985820	10,00
114,3	40	40			122851840	11,10
114,3	80	80			122851850	13,40
139,7	40	40			122852850	16,40
139,7	80	80			122852840	18,60
168,3	40	40			122855850	18,40
168,3	80	80			122855860	19,30
219,1	40	40			122865810	25,20
219,1	80	80			122865820	28,70
273,0	40	63			2117-00	42,10
273,0	63	80			2118-00	42,10
323,9	25	30			122844810	61,20
323,9	40	63			122844840	61,20
323,9	63	80			122844850	61,20

For larger sizes, see the section Alvenius AGS.

Plain end pipe



ØD [mm]	t [mm]	L [mm]	PN [bar] above ground	PN [bar] underground	Part no. Untreated	Price [EUR]
76,1	2,0	6000	40	40	101700330	88,10
76,1	2,0	9000	40	40	101701330	128,30
88,9	2,1	6000	80	80	101704330	120,20
88,9	2,1	9000	80	80	101705330	177,80
114,3	2,0	6000	25	25	101706330	135,40
114,3	2,0	9000	25	25	101707330	204,10
114,3	2,7	6000	40	40	101708330	174,70
114,3	2,7	9000	40	40	101709330	261,00
139,7	2,1	6000	25	25	101710330	186,50
139,7	2,1	9000	25	25	101711330	272,80
139,7	3,3	6000	80	80	101714330	241,30
139,7	3,3	9000	80	80	101715330	358,60
168,3	2,1	6000	40	40	101716330	268,90
168,3	2,1	9000	25	25	101717330	411,50
168,3	2,8	6000	40	40	101720330	284,90
168,3	2,8	12000	40	40	101721330	551,30
219,1	3,0	6000	25	25	101722330	399,50
219,1	3,0	12000	25	25	101723330	762,70
219,1	3,6	6000	63	63	101724330	486,10
219,1	3,6	12000	63	63	101725330	932,60
273,0	3,0	6000	25	25	101726330	471,30
273,0	3,0	12000	25	25	101727330	906,60
273,0	3,6	6000	40	40	101728330	579,40
273,0	3,6	12000	40	40	101729330	1 119,30
273,0	4,4	6000	40	40	101730330	675,80
273,0	4,4	12000	40	40	101731330	1 298,50
323,9	3,0	6000	40	40	101732330	566,40
323,9	3,0	12000	40	40	101733330	1 074,40
323,9	4,4	6000	40	40	101734330	815,90
323,9	4,4	12000	40	40	101735330	1 559,00
323,9	5,7	6000	63	63	101736330	1 013,40
323,9	5,7	12000	63	63	101737330	1 953,80

For larger sizes, see the section Alvenius AGS.

Accessories, assembly grease and denso tape



Assembly grease	Weight [gram]				Part no.	Price [EUR]
Tube	125				300029000	12,30
Can	907				300028000	40,30


Product	With [mm]	L [m]			Part no.	Price [EUR]
Denso tape	100	10			800731000	27,10

Accessories, repair kit, Corroflo®



Colour	Designation				Part no.	Price [EUR]
Black	Complete kit				300050005	77,30
Black	Strips				300052005	11,00
White	Complete kit				300050006	77,30
White	Strips				300052006	11,00
Red	Complete kit				300050007	77,30
Red	Strips				300052007	11,00
Blue	Complete kit				300050009	77,30
Blue	Strips				300052009	11,00


Pipe AGS



ØD [mm]	t [mm]	L [mm]	PN [bar] above ground	PN [bar] underground	Part no. Hot-dip galvanized	Price Hot-dip galvanized [EUR]	Part no. CorroFlo® •	Price CorroFlo® • [EUR]	Part no. RocShield® ••	Price RocShield® •• [EUR]
355,6	5,6	600	40	40	3653-01	98,10	3653-0X	115,40		
355,6	5,6	1000	40	40	1819-01	163,50	1819-0X	192,30		
355,6	5,6	3000	40	40	1604-01	489,50	1604-0X	576,10	1604-2X	576,10
355,6	5,6	6000	40	40	1228-01	753,30	1228-0X	886,60	1228-2X	886,60
406,4	6,3	600	40	40	3657-01	125,00	3657-0X	147,10		
406,4	6,3	1000	40	40	3658-01	208,10	3658-0X	245,10		
406,4	6,3	3000	40	40	3659-01	624,90	3659-0X	735,30	3659-2X	735,30
406,4	6,3	6000	40	40	1229-01	961,50	1229-0X	1 131,80	1229-2X	1 131,80
457,0	6,3	600	40	40	3692-01	149,10	3692-0X	175,50		
457,0	6,3	1000	40	40	3693-01	248,50	3693-0X	292,40		
457,0	6,3	3000	40	40	3694-01	745,50	3694-0X	877,30	3694-2X	877,30
457,0	6,3	6000	40	40	1230-01	1 146,70	1230-0X	1 349,20	1230-2X	1 349,20
508,0	6,3	600	25	25	3698-01	172,80	3698-0X	203,30		
508,0	6,3	1000	25	25	3699-01	288,10	3699-0X	339,00		
508,0	6,3	3000	25	25	3700-01	864,60	3700-0X	1 016,70	3700-2X	1 016,70
508,0	6,3	6000	25	25	1231-01	1 328,70	1231-0X	1 563,60	1231-2X	1 563,60
610,0	6,3	600	25	25	3704-01	Contact Alvenius	3704-0X	Contact Alvenius		
610,0	6,3	1000	25	25	3705-01	Contact Alvenius	3705-0X	Contact Alvenius		
610,0	6,3	3000	25	25	3706-01	Contact Alvenius	3706-0X	Contact Alvenius	3706-2X	Contact Alvenius
610,0	6,3	6000	25	25	2656-01	Contact Alvenius	2656-0X	Contact Alvenius	2656-2X	Contact Alvenius

- X=5 Black CorroFlo®, X=6 White CorroFlo®, X=7 Red CorroFlo®, X=9 Blue CorroFlo®
- X=5 Black RocShield®, X=6 White RocShield®, X=7 Red RocShield®, X=9 Blue RocShield®


Coupling Flexibel, model AGS 77



ØD [mm]	PN [bar] above ground	PN [bar] underground			Part no. Painted	Price Painted [EUR]	Part no. Hot-dip galvanized	Price Hot-dip galvanized [EUR]	Part no. CorroFlo® •	Price CorroFlo® • [EUR]
355,6	25	25			1115-10	291,10	1115-01	320,10	1115-0X	582,10
406,4	25	25			1113-10	316,80	1113-01	375,10	1113-0X	633,70
457,0	25	25			120829800	366,40	120829801	439,60	12082980X	732,60
508,0	25	25			1241-10	471,30	1241-01	565,60	1241-0X	969,00
610,0	25	25			3310-10	Contact Alvenius	3310-01	Contact Alvenius	3310-0X	Contact Alvenius

- X=5 Black CorroFlo®, X=6 White CorroFlo®, X=7 Red CorroFlo®, X=9 Blue CorroFlo®

Coupling Rigid, model AGS 07



ØD [mm]	PN [bar] above ground	PN [bar] underground			Part no. Painted	Price Painted [EUR]	Part no. Hot-dip galvanized	Price. Hot-dip galvanized [EUR]	Part no. CorroFlo® •	Price CorroFlo® • [EUR]
355,6	25	25			1134-10	291,10	1134-01	320,10	1134-0X	582,10
406,4	25	25			1112-10	316,80	1112-01	375,10	1112-0X	633,70
457,0	25	25			1118-10	366,40	1118-01	439,60	1118-0X	732,60
508,0	25	25			1240-10	471,30	1240-01	565,60	1240-0X	969,00
610,0	25	25			2909-10	Contact Alvenius	2909-01	Contact Alvenius	2909-0X	Contact Alvenius


- X=5 Black CorroFlo®, X=6 White CorroFlo®, X=7 Red CorroFlo®, X=9 Blue CorroFlo®

Rubber gasket



ØD [mm]					Part no.	Price [EUR]
355,6					4550-00	139,80
406,4					4551-00	150,80
457,0					4554-00	191,30
508,0					4552-00	231,00
610,0					4553-00	Contact Alvenius


Tee AGS



ØD [mm]	Ød [mm]	PN [bar] above ground	PN [bar] underground		Part no. Hot-dip galvanized	Price. Hot-dip galvanized [EUR]	Part no. CorroFlo® •	Price CorroFlo® • [EUR]
355,6	219,1	25	25		2589-01	1 107,10	2589-0X	1 581,80
355,6	355,6	25	25		2597-01	1 107,10	2597-0X	1 581,80
406,4	168,3	25	25		3914-01	1 417,80	3914-0X	2 025,40
406,4	219,1	25	25		3913-01	1 417,80	3913-0X	2 025,40
406,4	355,6	25	25		3912-01	1 417,80	3912-0X	2 025,40
406,4	406,4	25	25		3911-01	1 417,80	3911-0X	2 025,40
457,0	168,3	25	25		3919-01	1 951,90	3919-0X	2 788,30
457,0	219,1	25	25		3918-01	1 951,90	3918-0X	2 788,30
457,0	355,6	25	25		3917-01	1 951,90	3917-0X	2 788,30
457,0	406,0	25	25		3916-01	1 951,90	3916-0X	2 788,30
457,0	457,0	25	25		3915-01	1 951,90	3915-0X	2 788,30
508,0	168,3	25	25		2591-01	2 750,10	2591-0X	3 928,60
508,0	219,1	25	25		3923-01	2 750,10	3923-0X	3 928,60
508,0	355,6	25	25		3922-01	2 750,10	3922-0X	3 928,60
508,0	406,4	25	25		3921-01	2 750,10	3921-0X	3 928,60
508,0	457,0	25	25		3920-01	2 750,10	3920-0X	3 928,60
508,0	508,0	25	25		2598-01	2 750,10	2598-0X	3 928,60
610,0	168,3	25	25		3930-01	Contact Alvenius	3930-0X	Contact Alvenius
610,0	219,1	25	25		3929-01	Contact Alvenius	3929-0X	Contact Alvenius
610,0	355,6	25	25		3928-01	Contact Alvenius	3928-0X	Contact Alvenius
610,0	406,4	25	25		3927-01	Contact Alvenius	3927-0X	Contact Alvenius
610,0	457,0	25	25		3926-01	Contact Alvenius	3926-0X	Contact Alvenius
610,0	508,0	25	25		3925-01	Contact Alvenius	3925-0X	Contact Alvenius
610,0	610,0	25	25		3924-01	Contact Alvenius	3924-0X	Contact Alvenius

- X=5 Black CorroFlo®, X=6 White CorroFlo®, X=7 Red CorroFlo®, X=9 Blue CorroFlo®


Elbow AGS



ØD [mm]	V°	PN [bar] above ground	PN [bar] underground		Part no. Hot-dip galvanized	Price Hot-dip galvanized [EUR]	Part no. CorroFlo® •	Price CorroFlo® • [EUR]
355,6	11,25	25	25		3725-01	681,90	3725-0X	974,10
355,6	22,50	25	25		3726-01	764,10	3726-0X	1 091,60
355,6	45,00	25	25		3727-01	694,00	3727-0X	991,40
355,6	90,00	25	25		3728-01	878,80	3728-0X	1 255,50
406,4	11,25	25	25		3729-01	751,90	3729-0X	1 074,20
406,4	22,50	25	25		3730-01	835,20	3730-0X	1 193,30
406,4	45,00	25	25		3731-01	908,00	3731-0X	1 297,20
406,4	90,00	25	25		3732-01	1 141,30	3732-0X	1 630,60
457,0	11,25	25	25		3936-01	740,30	3936-0X	1 057,60
457,0	22,50	25	25		3937-01	1 040,50	3937-0X	1 486,40
457,0	45,00	25	25		3788-01	1 042,10	3788-0X	1 488,80
457,0	90,00	25	25		3789-01	1 449,20	3789-0X	2 070,30
508,0	11,25	25	25		3733-01	760,80	3733-0X	1 086,90
508,0	22,50	25	25		3734-01	1 187,80	3734-0X	1 696,80
508,0	45,00	25	25		3735-01	1 366,50	3735-0X	1 952,20
508,0	90,00	25	25		3736-01	1 910,30	3736-0X	2 729,20
610,0	11,25	25	25		3939-01	Contact Alvenius	3939-0X	Contact Alvenius
610,0	22,50	25	25		3940-01	Contact Alvenius	3940-0X	Contact Alvenius
610,0	45,00	25	25		3790-01	Contact Alvenius	3790-0X	Contact Alvenius
610,0	90,00	25	25		3791-01	Contact Alvenius	3791-0X	Contact Alvenius

- X=5 Black CorroFlo®, X=6 White CorroFlo®, X=7 Red CorroFlo®, X=9 Blue CorroFlo®


Reducer/Cone AGS



ØD [mm]	Ød [mm]	PN [bar] above ground	PN [bar] underground		Part no. Hot-dip galvanized	Price Hot-dip galvanized [EUR]	Part no. CorroFlo® •	Price CorroFlo® • [EUR]
355,6	168,3	25	25		2573-01	936,30	2573-0X	1 216,70
355,6	219,1	25	25		2574-01	936,30	2574-0X	1 216,70
355,6	273,0	25	25		2575-01	936,30	2575-0X	1 216,70
355,6	323,9	25	25		3772-01	936,30	3772-0X	1 216,70
406,4	219,1	25	25		3773-01	1 404,30	3773-0X	1 824,40
406,4	273,0	25	25		2576-01	1 404,30	2576-0X	1 824,40
406,4	323,9	25	25		122210801	1 404,30	12221080X	1 824,40
406,4	355,6	25	25		2577-01	1 404,30	2577-0X	1 824,40
457,0	273,0	25	25		3776-01	2 021,50	3776-0X	2 627,50
457,0	323,9	25	25		3775-01	2 021,50	3775-0X	2 627,50
457,0	355,6	25	25		3774-01	2 021,50	3774-0X	2 627,50
508,0	323,9	25	25		3779-01	2 246,80	3779-0X	2 920,80
508,0	355,6	25	25		3778-01	2 246,80	3778-0X	2 920,80
508,0	406,4	25	25		2578-01	2 246,80	2578-0X	2 920,80
508,0	457,0	25	25		3777-01	2 246,80	3777-0X	2 920,80
610,0	406,4	25	25		3782-01	Contact Alvenius	3782-0X	Contact Alvenius
610,0	457,0	25	25		3781-01	Contact Alvenius	3781-0X	Contact Alvenius
610,0	508,0	25	25		3780-01	Contact Alvenius	3780-0X	Contact Alvenius

- X=5 Black CorroFlo®, X=6 White CorroFlo®, X=7 Red CorroFlo®, X=9 Blue CorroFlo®

Flanged adapter AGS



ØD [mm]	DN	DIN	PN [bar] above ground	PN [bar] underground	Part no. Hot-dip galvanized	Price. Hot-dip galvanized [EUR]	Part no. CorroFlo® •	Price CorroFlo® • [EUR]
355,6	350,00	2632	10	10	2511-01	445,70	2511-0X	636,80
355,6	350,00	2633	16	16	3640-01	445,70	3640-0X	636,80
355,6	350,00	2634	25	25	3645-01	658,70	3645-0X	940,90
406,4	400,00	2632	10	10	2512-01	445,20	2512-0X	635,90
406,4	400,00	2633	16	16	3641-01	502,00	3641-0X	717,20
406,4	400,00	2634	25	25	3646-01	705,60	3646-0X	1 008,00
457,0	450,00	2632	10	10	3650-01	626,70	3650-0X	895,30
457,0	450,00	2633	16	16	3642-01	721,50	3642-0X	1 030,80
457,0	450,00	2634	25	25	3647-01	964,80	3647-0X	1 378,40
508,0	500,00	2632	10	10	2513-01	758,50	2513-0X	1 083,70
508,0	500,00	2633	16	16	3643-01	930,70	3643-0X	1 329,50
508,0	500,00	2634	25	25	3648-01	1 322,40	3648-0X	1 889,00
610,0	600,00	2632	10	10	3651-01	Contact Alvenius	3651-0X	Contact Alvenius
610,0	600,00	2633	16	16	3644-01	Contact Alvenius	3644-0X	Contact Alvenius
610,0	600,00	2634	25	25	3649-01	Contact Alvenius	3649-0X	Contact Alvenius

- X=5 Black CorroFlo®, X=6 White CorroFlo®, X=7 Red CorroFlo®, X=9 Blue CorroFlo®


End cap AGS



ØD [mm]	PN [bar] above ground	PN [bar] underground			Part no. Hot-dip galvanized	Price Hot-dip galvanized [EUR]	Part no. CorroFlo® •	Price CorroFlo® • [EUR]
355,6	25	25			3783-01	545,40	3783-0X	779,10
406,4	25	25			3784-01	770,70	3784-0X	1 101,10
457,0	25	25			3785-01	997,80	3785-0X	1 425,40
508,0	25	25			3786-01	1 101,00	3786-0X	1 572,80
610,0	25	25			3787-01	Contact Alvenius	3787-0X	Contact Alvenius


• X=5 Black CorroFlo®, X=6 White CorroFlo®, X=7 Red CorroFlo®, X=9 Blue CorroFlo®

Plain end pipe



ØD [mm]	t [mm]	L [mm]	PN [bar] above ground	PN [bar] underground	Part no. Untreated	Price Untreated [EUR]
355,0	5,6	6000	25	25	1243-00	1 104,50
355,0	5,6	12000	25	25	Contact Alvenius	2 089,50
406,0	6,3	6000	25	25	101740330	1 422,20
406,0	6,3	12000	25	25	101741330	2 839,90
457,0	6,3	6000	25	25	3601-00	1 600,60
457,0	6,3	12000	25	25	Contact Alvenius	3 028,20
508,0	6,3	6000	25	25	101744330	1 783,50
508,0	6,3	12000	25	25	101745330	3 370,70
610,0	6,3	6000	25	25	1096-00	Contact Alvenius
610,0	6,3	12000	25	25	2848-00	Contact Alvenius

Pipe K10



ØD [mm]	t [mm]	L [mm]	PN [bar]		Part no. Hot-dip galvanized	Price Hot-dip galvanized [EUR]
48,3	1,4	200	63		100032101	18,30
48,3	1,4	500	63		100034101	28,20
48,3	1,4	1000	63		100035101	33,60
48,3	1,4	2000	63		100036101	36,50
48,3	1,4	3000	63		100037101	41,80
48,3	1,4	5800	63		100041101	55,90
60,3	1,8	200	80		101122101	24,00
60,3	1,8	500	80		101124101	34,40
60,3	1,8	1000	80		101125101	41,90
60,3	1,8	2000	80		101126101	46,20
60,3	1,8	3000	80		101127101	51,60
60,3	1,8	5800	80		101131101	77,50
60,3	1,8	6000	80		1541-01	72,90
76,1	2,0	200	63		100071101	33,50
76,1	2,0	500	63		100074101	38,40
76,1	2,0	1000	63		100075101	50,40
76,1	2,0	2000	63		100076101	58,00
76,1	2,0	3000	63		100077101	63,90
76,1	2,0	5800	63		100081101	95,00
76,1	2,0	6000	63		100080101	60,70

Pipe K10, cont.


ØD [mm]	t [mm]	L [mm]	PN [bar]		Part no. Hot-dip galvanized	Price Hot-dip galvanized [EUR]
101,6	2,0	200	40		100120101	41,60
101,6	2,0	500	40		100104101	52,30
101,6	2,0	1000	40		100105101	67,00
101,6	2,0	2000	40		100106101	75,60
101,6	2,0	3000	40		100107101	80,90
101,6	1,25	5800	25		2122-01	Contact Alvenius
101,6	2,0	5800	40		100111101	121,20
101,6	2,0	6000	40		1542-01	121,20
152,4	2,1	200	40		100142111	27,30
152,4	2,1	500	40		100144111	66,50
152,4	2,1	1000	40		100145111	92,00
152,4	2,1	2000	40		100146111	127,80
152,4	2,1	3000	40		100147111	133,20
152,4	1,25	5800	16		2119-01	Contact Alvenius
152,4	2,0	5800	25		101240101	165,00
152,4	2,0	6000	25		1540-01	165,00
152,4	2,1	5800	40		100160101	167,60
152,4	2,1	6000	40		2905-01	167,60
203,2	3,0	200	40		100188101	66,60
203,2	3,0	500	40		100193101	175,50
203,2	3,0	1000	40		100194101	209,90
203,2	3,0	2000	40		100195101	300,60
203,2	3,0	3000	40		100196101	350,10
203,2	3,0	5800	40		100192101	430,80
203,2	3,0	6000	40		100191101	430,80
254,0	3,0	500	25		100213101	161,30
254,0	3,0	1000	25		100214101	230,00
254,0	3,0	2000	25		1828-01	275,20
254,0	3,0	3000,0	25,0		100216101	320,40
254,0	3,0	5800	25		100212101	433,10

Pipe K10, cont.

ØD [mm]	t [mm]	L [mm]	PN [bar]		Part no. Hot-dip galvanized	Price Hot-dip galvanized [EUR]
318,0	3,0	500	25		2001-01	206,30
318,0	3,0	1000	25		2002-01	250,70
318,0	3,0	2000	25		2003-01	286,80
318,0	3,0	3000	25		2004-01	367,00
318,0	3,0	5800	25		2000-01	538,80

For larger sizes, see the section Alvenius AGS.


Coupling K10



ØD [mm]	PN [bar]				Part no. Painted	Price Painted [EUR]
48,3	25,0				120258109	11,10
60,3	25,0				120267109	13,80
76,1	25,0				120276109	17,20
101,6	25,0				120290109	17,00
152,4	40,0				120311109	20,80
203,2	25,0				120330109	33,80
254,0	16,0				120345109	113,90
318,0	16,0				120360109	119,50

For larger sizes, see the section Alvenius AGS.


Coupling K70



ØD [mm]	PN [bar]				Part no. Painted	Price Painted [EUR]
48,3	25,0				120900709	21,90
60,3	25,0				120901709	22,50
76,1	25,0				120902709	25,60
101,6	25,0				120903709	27,80
152,4	25,0				120904709	46,90

For larger sizes, see the section Alvenius AGS.


Rubber gasket



ØD [mm]					Part no.	Price [EUR]
48,3					120264101	3,40
60,3					120273101	3,40
76,1					120282101	4,40
88,9					120287101	4,80
101,6					120296101	6,00
133,0					120308101	6,10
152,4					120315101	10,20
203,2					120334101	10,80
254,0					120349101	37,80
318,0					120363101	14,20

For larger sizes, see the section Alvenius AGS.


Tee K10



ØD [mm]	ØD [mm]	PN [bar]			Part no. Hot-dip galvanized	Price Hot-dip galvanized
48,3	48,3	63,0			111696101	56,10
60,3	48,3	63,0			111697101	66,00
60,3	60,3	63,0			111698101	70,60
76,1	48,3	40,0			111699101	74,90
76,1	60,3	25,0			111700101	74,90
76,1	76,1	40,0			111701101	79,20
101,6	48,3	25,0			111705101	74,90
101,6	60,3	40,0			111706101	77,60
101,6	76,1	16,0			111707101	88,40
101,6	101,6	40,0			2050-01	103,10
152,4	60,3	16,0			111718101	112,20
152,4	76,1	25,0			111712101	112,20
152,4	101,6	40,0			1495-01	116,00
152,4	152,4	10,0			2389-01	150,20
203,2	101,6	16,0			111725101	224,70
203,2	152,4	10,0			111727101	224,70
203,2	203,2	10,0			111728101	299,40
254,0	203,2	10,0			111732101	624,20
254,0	254,0	10,0			111733101	624,20
318,0	203,0	25,0			111741101	1 090,90


For larger sizes, see the section Alvenius AGS.

Branch pipe 45° K10




ØD [mm]	Ød [mm]	PN [bar]			Part no. Hot-dip galvanized	Price Hot-dip galvanized
48,3	48,3	100,0			110173101	132,90
76,1	76,1	16,0			110178101	155,40
101,6	101,6	10,0			110184101	201,30
152,4	152,4	6,0			110189101	291,60
203,2	203,2	6,0			110190101	488,90
254,0	254,0	5,0			110191101	633,00

Tee with threaded outlet K10



ØD [mm]	Ød [mm]	PN [bar]			Part no. Hot-dip galvanized	Price Hot-dip galvanized
48,3	R1"	100			111743101	33,60
48,3	R2"	63			111744101	33,60
60,3	R1"	63			111745101	39,40
60,3	R2"	63			111746101	39,40
76,1	R1"	63,0			111748101	45,00
76,1	R2"	63			111749101	46,50
101,6	R1"	40			111752101	54,20
101,6	R2"	40			111909101	58,30
152,4	R1"	40			111756101	112,40
152,4	R2"	40			2390-01	119,90
152,4	R4"	25,0			111757101	252,70

Elbow K10




ØD [mm]	V°	PN [bar]			Part no. Hot-dip galvanized	Price Hot-dip galvanized
48,3	7,5	25			110445101	40,90
48,3	15,0	25			110446101	40,90
48,3	30,0	40			110447101	51,60
48,3	45,0	16			110448101	54,80
48,3	90,0	16,0			110450101	60,50
60,3	7,5	25			110466101	42,10
60,3	15,0	16			110467101	42,10
60,3	30,0	63			110468101	55,20
60,3	45,0	63			110469101	56,10
60,3	90,0	63			110471101	59,70
76,1	7,5	16,0			110487101	43,90
76,1	15,0	16			110488101	43,90
76,1	30,0	63			110489101	56,10
76,1	45,0	63			110490101	58,80
76,1	90,0	63			110492101	64,00
101,6	15,0	40			110530111	60,70
101,6	30,0	40			110531111	81,10
101,6	45,0	40			110532111	66,80
101,6	90,0	40			110524111	76,30
152,4	7,5	40			112401101	81,70
152,4	15,0	40			112402101	89,20
152,4	30,0	40			112403101	116,00
152,4	45,0	40			112404101	129,30
152,4	90,0	40			112405101	169,50

Elbow K10, cont.

ØD [mm]	V°	PN [bar]			Part no. Hot-dip galvanized	Price Hot-dip galvanized
203,2	7,5	40			111220101	211,60
203,2	15,0	40			111221101	211,60
203,2	30,0	40			111222101	276,80
203,2	45,0	40			111223101	276,80
203,2	90,0	40			111225101	345,80
254,0	7,5	40			111075101	236,60
254,0	15,0	40			111076101	249,20
254,0	30,0	40			111077101	291,10
254,0	45,0	40			111078101	294,30
254,0	90,0	40			111080101	361,10
318,0	7,5	25			110679101	355,50
318,0	15,0	25			110678101	374,40
318,0	30,0	25			110680101	471,50
318,0	45,0	25			110676101	445,10
318,0	90,0	25			110681101	481,20

For larger sizes, see the section Alvenius AGS.


Reducer/Cone K10



ØD [mm]	Ød [mm]	PN [bar]			Part no. Hot-dip galvanized	Price Hot-dip galvanized
60,3	48,3	80			111850101	36,80
76,1	48,3	63			111851101	36,80
76,1	60,3	63			111852101	36,80
101,6	48,3	40			2052-01	40,10
101,6	60,3	40			111862101	43,90
101,6	76,1	40			111863101	43,90
152,4	48,3	40			111866101	56,10
152,4	76,1	40			111867101	60,30
152,4	101,6	40			2053-01	60,40
203,2	152,4	40			111875101	105,80
254,0	152,4	40			111880101	256,70
254,0	203,2	40			111879101	249,20
318,0	203,2	25			111204101	319,00
318,0	254,0	25			800893101	319,00


For larger sizes, see the section Alvenius AGS.

Adapter with thread K10



ØD [mm]	Ød [mm]	PN [bar]			Part no. Hot-dip galvanized	Price Hot-dip galvanized
48,3	R1"	40			2785-01	28,20
48,3	R1½"	40			110289111	29,10
48,3	R2"	25			110215101	28,20
60,3	R1"	25			110216101	28,40
60,3	R2"	25			110217101	47,50
60,3	R2½"	25			110218101	52,80
76,1	R1"	63			110219101	38,50
76,1	R2"	25			110221101	48,80
76,1	R2½"	25			1489-01	54,00
101,6	R2"	25			110227101	56,80
101,6	R3"	25			110229101	90,80
101,6	R4"	25			110230101	109,70
152,4	R2"	40			3027-01	97,70
152,4	R6"	25			110237101	97,70


Adapter K10 - CG (cut groove)



ØD [mm]	Ød [mm]	PN [bar]			Part no. Hot-dip galvanized	Price Hot-dip galvanized [EUR]	Part no. CorroFlo® •	Price CorroFlo® • [EUR]
60,3	60,3	40			111896801	83,70		
76,1	76,1	40			4439-01	72,60		
101,6	114,3	40			112046801	55,20	11204680X	78,90
152,4	139,7	40			111873801	78,10		
152,4	168,3	40			111874801	78,10	11187480X	111,50
203,2	219,1	40			111879801	195,90		

- X=5 Black CorroFlo®, X=6 White CorroFlo®, X=7 Red CorroFlo®, X=9 Blue CorroFlo®


Flanged adapter K10



ØD [mm]	DN	DIN	PN [bar]		Part no. Hot-dip galvanized	Price Hot-dip galvanized
48,3	40,0	2633	16		111768101	49,00
60,3	60,0	2633	16		111771101	53,10
76,1	65,0	2633	16		111774101	57,10
101,6	100,0	2633	16		111780101	73,40
152,4	150,0	2633	16		111763101	166,00
152,4	150,0	2635	40		111763111	205,80
203,2	200,0	2632	10		111789101	214,50
203,2	200,0	2633	16		811790101	214,50
254,0	250,0	2632	10		111795101	237,00
254,0	250,0	2633	16		111796101	237,00
318,0	300,0	2632	10		111799101	502,70
318,0	300,0	2633	16		4338-01	502,70

For larger sizes, see the section Alvenius AGS.


Hose connection K10



ØD [mm]	Ød [mm]	PN [bar]			Part no. Hot-dip galvanized	Price Hot-dip galvanized
48,3	1"	25			111679101	42,10
48,3	1½"	25			111680101	43,90
48,3	2"	100			111279101	45,80
60,3	2"	25			111683101	51,60
76,1	1"	25			111684111	55,20
76,1	2"	25			111684101	55,20
76,1	3"	100			111281101	64,00
101,6	2"	25			111685101	70,00
101,6	3"	25			111686101	76,20
101,6	4"	100			111283101	74,90
152,4	6"	100			111285101	219,20
203,2	8"	100			111690101	291,60


For larger sizes, see the section Alvenius AGS.

Butterfly valve K10




ØD [mm]		PN [bar]			Part no. Painted cast iron	Price Painted cast iron [EUR]
60,3		16			2943-10	205,50
76,1		16			2944-10	234,10
101,6		16			2945-10	267,80
152,4		16			2946-10	592,70

Slide valve K10



ØD [mm]	Ød [mm]	PN [bar]			Part no. Bronze	Price Bronze [EUR]	Part no. Painted cast iron	Price Painted cast iron [EUR]
48,3	138	16			130001000	114,70		
48,3	270	16					130001108	80,20
60,3	165	16			130002000	177,90		
60,3	283	16					130002108	124,60
76,1	220	16			130003000	244,50		
76,1	310	16					130003108	171,20
101,6	397	16			130004000	272,80		
101,6	350	16					130004108	199,10
152,4	382	16			130005000	777,70		
152,4	485	16					130005108	388,80
203,2	520	16					130006108	467,30

End cap K10



ØD [mm]	PN [bar]				Part no. Hot-dip galvanized	Price Hot-dip galvanized
48,3	40,0				110349101	9,50
60,3	40,0				110351101	19,40
76,1	40,0				110353101	20,40
101,6	40,0				110357101	28,20
152,4	40,0				110361101	40,90
203,2	25,0				110364101	151,30
254,0	40,0				110366101	193,00
318,0	25,0				110367101	385,10

For larger sizes, see the section Alvenius AGS.


Welding ring K10



ØD [mm]	PN [bar]				Part no. Untreated	Price Untreated [EUR]
48,0	40,0				121898100	6,40
60,0	40,0				121899100	7,10
76,0	40,0				121910100	7,70
102,0	40,0				121902100	10,90
152,0	40,0				121904100	18,00
203,0	16,0				120334100	34,20
254,0	16,0				120347100	42,60
318,0	16,0				120362100	148,90

For larger sizes, see the section Alvenius AGS.

All information in this publication is given in good faith, and believed to be correct at the time of going to press. However no responsibility can be accepted for any errors, omissions or incorrect assumptions.



Alvenius was founded in 1951 and ever since we have focused on supplying the global market with high-quality quick coupling steel pipe systems.

Today, Alvenius focuses its expertise on the segments tunnels, mines, industry, fire protection and extinguishing, water and wastewater systems and artificial snow making.

We have a presence in Asia, Africa, the Middle East, North and South America, Europe and, of course, our domestic market Sweden.

Our international approach offers many advantages.

Above all else, it means that we understand the conditions and demands of your particular market – wherever that may be.



Member of Boxholm Group

